

Release Notes

WireXpert / eXport

Version 8.0 Build 1083

March 11, 2019

Version: 1.0

1 New or enhanced features: WireXpert

- ✓ Copper cable database updated.
- ✓ Fiber cable database updated.
- ✓ New “Industrial” probe added.
- ✓ Tone Generator feature included.
- ✓ Single Ended Tests.
- ✓ Copper / Fiber limits updated as per latest standards
 - ISO/IEC 11801-1 copper and fiber limits updated to the latest publication 2017-11 (Edition 1)
 - TIA 568.2 Copper limits updated to latest D revision (2018)
 - i. This is not applicable for TIA CAT6A Patchcord Limits.
- ✓ New Copper Custom Limits
 - Paige Datacom 1Gb channel
 - Paige Datacom 10Mb channel
- ✓ Wi-Fi Connectivity now available on WireXpert (Optional).
- ✓ Feature to Upload test results from WireXpert to eXportCloud over Wi-Fi (Optional).
- ✓ Feature to download Label list files from eXportCloud to WireXpert over Wi-Fi (Optional).
- ✓ New Icons on WireXpert.
- ✓ New Splash Screen on WireXpert.
- ✓ Updated EULA on WireXpert.
- ✓ Other Bug Fixes and Enhancements.

2 New or enhanced features: eXport

- ✓ Improved PDF Reports
- ✓ Cloud connectivity is now available on eXport.
- ✓ Feature to Upload LBT files to WireXpert over Wi-Fi (Optional).
- ✓ Feature to download test results files from WireXpert over Wi-Fi (Optional).
- ✓ New Icons on eXport.
- ✓ Clickable link for “Check for Updates”.
- ✓ Updated End User License Agreement.
- ✓ Other Bug Fixes and Enhancements.
- ✓ Single step Installation for eXport.

3 Known Issues

- ✓ It is recommended to turn off anti-virus software during the installation of eXport.
- ✓ Administrator rights are required to install eXport.
- ✓ First Autotest may fail when switching from Crossover to Twisted Pair or vice versa.
- ✓ For Fiber, if the user chooses a wrong Cable Type (different from the Adapter), no warning message will be displayed to user. Network Limits list will be empty, since Network limits are displayed based on Adapter and Cable Type. Tier 1 testing will also ignore the wrongly selected cable and will use the default value during AutoTest.
 - a. Ex : MMEF Adapter plugged in , OS1 Cable selected.
- ✓ Re-Certification for application standards is not allowed.
- ✓ From Version 8.0 on, the PC software will not be supported for Windows Vista OS. This is in line with the Microsoft Product Life Cycle. Please click on the link below for details
<https://support.microsoft.com/en-us/help/22882/windows-vista-end-of-support>